






1		2		3		4		5		6		7		8																	
序号/NO	符号/Symbol	名称/Name			制造商/Manufacturer		型号/Type		规格/Specification		单位/unit	数量/Number	物料编号/Material number		备注/Remark																
A	1	A1	微电脑主板/Microcomputer Mainboard			YUYUN		CU-23		230VAC 50/60HZ		PCS	1	YE80002300300																	
	2	X1	端子排/Terminal Board			TIANDA		PA9X		10A		PCS	2	YE61001200000		(1)															
	3	W2	电线0.75*10C*100m(9白1黄绿) Wire 0.75*10C*100m (9 white and 1 yellow green)			YONGCHEN		0.75*10C		M		PCS	1	YE50751000000																	
	4	W1	电源线+线上开关 Power cord+online switch			SHINI		---		15*3(x4M)线上开关 Including online switch		PCS	1	BE51308400150																	
	5	S2	压力开关/Pressure Switch			SIGNAL		IPOLE		NO 250VAC		PCS	1	YE15021500000		(1)															
	6	S3	磁簧开关/Reed switch			SONON		BN12-30BLA L=30mm		24VDC		PCS	1	YE15123000100		(1)															
	7	H1	三色灯带 Three color light strip			JINRUNXING		RGY		24VDC		PCS	1	YE83121200100		(1)															
B	8	M	马达/Motor			AMETEK		119656-10		1.15KW 230V 50/60HZ		PCS	1	---																	
	9	Y1 Y2 Y3	电磁阀/Solenoid Vavle			KAIYUN		3/8"		24VAC		PCS	3	---																	
	10		电缆索头PG9 Cable head PG9			---		---				PCS	1	---																	
	11		电缆索头PG13.5 Cable head PG13.5			---		---				PCS	2	---																	
	12		管形端子E1008 Tube terminal E1008									PCS	20	YE60100800200																	
C																															
																D															
机型版本 Ver.C		Note: (1) Means not part of control box. 注：（1）表示非电控箱安装。																													
D						制图		版号	F	标题 SAL-6U-E		图号 SAL-6U-E-CE-230V-F-3		比例	第 3 张																
						设计		核		电气元件明细表				标准	CE	共 3 张															
						校对		准		 信易电热机械股份有限公司 Shini Plastics Technologies, Inc.		机器电压		1ø230V																	
	标记	更改前	更改后	更改人	日期	审核		日期	20240529			机器频率		50HZ																	
1		2		3		4		5		6		7		8																	



1		2		3		4		5		6		7		8		
序号/NO	符号/Symbol	名称/Name			制造商/Manufacturer		型号/Type		规格/Specification		单位/unit	数量/Number	物料编号/Material number		备注/Remark	
A	1	A1	微电脑主板/Microcomputer Mainboard			YUYUN		CU-23		230VAC 50/60HZ		PCS	1	YE80002300300		
	2	X1	端子排/Terminal Board			TIANDA		PA9X		10A		PCS	2	YE61001200000		(1)
	3	W2	电缆0.75×10C×100m(9白1黄绿) Wire 0.75 × 10C × 100m (9 white and 1 yellow green)			YONGCHEN		0.75×10C		M		PCS	1	YE50751000000		
	4	W1	电源线+线上开关 Power cord+online switch			SHINI		---		15×3(x4M)线上开关 Including online switch		PCS	1	BE51308400150		
	5	S2	压力开关/Pressure Switch			SIGNAL		IPOLE		NO 250VAC		PCS	1	YE15021500000		(1)
	6	S3	磁簧开关/Reed switch			SONON		T18-3MNB-PE		24VDC		PCS	1	BE15143900300		(1)
	7	H1	三色灯带 Three color light strip			JINRUNXING		RGY		24VDC		PCS	1	YE83121200100		(1)
B	8	M	马达/Motor			AMETEK		119656-10		1.15KW 230V 50/60HZ		PCS	1	---		
	9	Y1 Y2 Y3	电磁阀/Solenoid Vavle			KAIYUN		3/8"		24VAC		PCS	3	---		
	10		电缆索头 Cable lock head PG9			---		---				PCS	1	---		
	11		电缆索头 Cable lock head PG13.5			---		---				PCS	2	---		
	12		管形端子E1008 Tubular terminal E1008									PCS	20	YE60100800200		




1		2		3		4		5		6		7		8																																	
序号/NO	符号/Symbol	名称/Name			制造商/Manufacturer		型号/Type		规格/Specification		单位/unit	数量/Number	物料编号/Material number		备注/Remark																																
A	1	A1	微电脑主板/Microcomputer Mainboard			YUYUN		CU-23		230VAC 50/60HZ		PCS	1	YE80002300300																																	
	2	X1	端子排/Terminal Board			TIANDA		PA9X		10A		PCS	2	YE61001200000		(1)																															
	3	W2	電線0.75*10C*100m(9白1黃綠) Wire 0.75 * 10C * 100m (9 white and 1 yellow green)			YONGCHEN		0.75×10C		M		PCS	1	YE50751000000																																	
	4	W1	电源线+线上开关 Power cord+online switch			SHINI		---		15×3(x4M)線上開關 Including online switch		PCS	1	BE51308400150																																	
	5	S2	压力开关/Pressure Switch			SIGNAL		IPOLE		NO 250VAC		PCS	1	YE15021500000		(1)																															
	6	S3	磁簧开关/Reed switch			SONON		BN12-30BLA L=30mm		24VDC		PCS	1	YE15123000000		(1)																															
	7	H1	三色灯带 Three color light strip			JINRUNXING		RGY		24VDC		PCS	1	YE83121200100		(1)																															
B	8	M	马达/Motor			AMETEK		119656-10		1.15KW 230V 50/60HZ		PCS	1	---																																	
	9	Y1 Y2 Y3	电磁阀/Solenoid Vavle			KAIYUN		3/8"		24VAC		PCS	3	---																																	
	10		電纜索頭 Cable lock head PG9			---		---				PCS	2	---																																	
	11		電纜索頭 Cable lock head PG13.5			---		---				PCS	1	---																																	
	12		管形端子E1008 Tubular terminal E1008									PCS	20	YE60100800200																																	
C																																															
																D																															
																																Note: (1) Means not part of control box. 注：（1）表示非电控箱安装。															
						制图				版号		F		标题		SAL-12U		图号		SAL-12U-CE-230V-F-3		比例		第 3 张																							
						设计				核				电气元件明细表				标准		CE		共 3 张																									
						校对				准				 信易電熱機械股份有限公司 Shini Plastics Technologies, Inc.		机器电压		1ø230V																													
标记		更改前		更改后		更改人		日期		审核		日期				20240203		机器频率		50HZ																											
1		2		3		4		5		6		7		8																																	



接截料阀与混料阀需要拆控制箱，从PG锁头穿过，直接接到线路板端子
The cut-off valve and mixing valve need to be disassembled from the control box, passed through the PG lock, and directly connected to the circuit board terminal

D					制图		版号	F	标题	SAL-12U-E	图号	SAL-12U-E-CE-230V-F-1	比例		第 1 张	D
					设计		核准			主电路图		标准	CE		共 3 张	
					校对				SHINI		信易電熱機械股份有限公司 Shini Plastics Technologies, Inc.	机器电压	1φ230V			
	标记	更改前	更改后	更改人	日期	审核	日期	2024.05.29		机器频率		50HZ				
1		2		3		4		5		6		7		8		



1		2		3		4		5		6		7		8	
序号/NO	符号/Symbol	名称/Name			制造商/Manufacturer		型号/Type		规格/Specification		单位/unit	数量/Number	物料编号/Material number		备注/Remark
1	A1	微电脑主板/Microcomputer Mainboard			YUYUN		CU-23		230VAC 50/60HZ		PCS	1	YE80002300300		
2	X1	端子排/Terminal Board			TIANDA		PA9X		10A		PCS	2	YE61001200000		(1)
3	W2	電線0.75*100*100m(9白1黃綠) Wire 0.75 * 100 * 100m (9 white and 1 yellow green)			YONGCHEN		0.75*10C		M		PCS	0.5	YE50751000000		
4	W1	电源线+线上开关 Power cord+online switch			SHINI		---		1.5*3C*4M(含线上开关) Including online switch		PCS	1	BE51308400150		
5	S2	压力开关/Pressure Switch			SIGNAL		IPOLE		NO 250VAC		PCS	1	YE15021500000		(1)
6	S3	磁簧开关/Reed switch			SONON		T18-3MNB-PE		24VDC		PCS	1	BE15143900300		(1)
7	H1	三色灯带 Three color light strip			JINRUNXING		RGY		24VDC		PCS	1	YE83121200100		(1)
8	M	马达/Motor			AMETEK		119656-10		115KW 230V 50/60HZ		PCS	1	---		
9	Y1 Y2 Y3	电磁阀/Solenoid Vavle			KAIYUN		3/8"		24VAC		PCS	3	---		
10		電纜索頭PG9 Cable lock head PG9			---		---				PCS	1	---		
11		電纜索頭PG13.5 Cable lock head PG13.5			---		---				PCS	2	---		
12		管形端子E1008 Tubular terminal									PCS	20	YE60100800200		