



"Budget" Storage Mixer

SSM-100EB




Refer carefully to the manual before operation.

SSM-EB Series

■ Coding Principle

SSM - xxx - EB




■ Features

- Vertically mounted blending screw and cylinder ensure even mixing of materials.
- Removable top assembly (lid, motor, and control box) for easy cleaning.
- Auto-stop timer function.
- Equipped with main power switch and safety interlock to ensure operator's safety.
- The durable stainless steel hopper is made from a single piece and has a unique spinning process.
- Detachable design enables quick disassembly of the hopper body, cone, and shut-off plate for easy cleaning.


■ Application

SSM-EB is mainly used for mixing plastics such as raw materials, masterbatch and recycled materials. SSM-EB can not be used dealing with plastic powder and all kinds of foods, chemicals, and inflammable, explosive and volatile materials. Bulk density should be taken into account when the dimension of material is uneven or in other forms. Collocated with suction pipe for convenient material transport .

■ Working Principle



■ Outline Drawings



■ Specifications

Model		SSM-100EB	SSM-200EB	SSM-300EB
Motor Power (kW)		0.55	1.1	1.1
Max. Throughput (kg/hr)		195	390	585
Blending Barrel* (L)		100	200	300
Suction pipe (inch)		1.5	1.5	1.5
Dimensions	H (mm)	1440	1498	1678
	H1 (mm)	405	354	354
	ΦA (mm)	748	864	864
	ΦB (mm)	748	864	864
Weight (kg)		64	85	115

Notes: 1) "*" stands for the optimal mixing time at full load is about 15min.

2) Max. noise level is 70dB (A).

3) Max. mixing capacity is tested based on continuous processing material of 0.65kg/L in bulk density and 2~3mm in size.

4) Power 3Φ, 400VAC, 50/60Hz.

We reserve the right to change specifications without prior notice.

Shini Group

Addr: No. 23, Minhe St., Shulin Dist.,
New Taipei, Taiwan

Tel: +886 2 2680 9119

Fax: +886 2 2680 9229

Email: shini@shini.com

Factories:

- Taiwan
- Dongguan
- Pinghu
- Ningbo
- Chongqing
- Pune

2026-07-15-04 Copyrights Reserved.

www.shini.com