


机器版本号	Ver.F







Technical Requirements:

1. Main Performance Parameters:
a. Maximum processing capacity: 400 kg/h (test material bulk density: 0.65 kg/L).
b. Mixing tank capacity: 238 L, effective capacity: 160 L.
c. Machine voltage specification: 3-phase, 400 VAC, 50 Hz.
d. Gear reducer power: 1.1 kW, gear ratio: 1:7.5.

2. Assembly Requirements:
a. The inner door frames of the upper cleaning door assembly (Item 4) must be bonded with 3mm thick EVA.

序号	代　　号	名　　称	材　质	数量	备 注
20	YW69616100000	Thumb Screw M6x16x16		1	
19	YR20224001500	Skeleton Oil Seal 22x40x8	Nitrile rubber	1	
18	YW09302001500	Tapered Roller Bearing HR30203J	NSK	1	
17	YW69050400000	Open Type Oval Head Blind Rivet M4x10	SUS	5	
16	YW62051000000	Cross Recessed Truss Head Screw M5X10	SUS	4	
15	SVM-160U-ALL-05	Screw Washer		6	
14	YW02003000400	Spring Snap		2	
13	YE16152600100	Adjustable Plunger Switch		1	
12	YW04901006000	90° Grease Nipple M10 (Fine Thread)		1	
11	YW60001606000	Cap Nut M16 M16	SUS	3	
10	YW64001600100	Hexagon Nut M16	SUS	9	
9	SVM-160U-ALL-02	Screw		1	
8	SVM-160U-ALL-01	Sleeve		1	
7	SVM-160U-ALL-03	Cleaning Gate Plate		1	
6	SVM-160U-G-ALL	Bottom Plate Weldment		1	
5	SVM-160U-E-ALL	Electrical Control Box		1	
4	SVM-160U-D-ALL	Upper Cleaning Door Assembly		1	
3	SVM-160U-C-ALL	Mixing Assembly		1	
2	SVM-160U-B-ALL	Tank Cover Assembly		1	
1	SVM-160U-A-ALL	Tank Body Assembly		1	

Hole Center Distance Tolerance±0.2	
General Machining Tolerance (Medium Grade)	
⩽ 6	±0.1
> 6	±0.2
> 30	±0.3
> 120	±0.5
> 400	±0.8
> 1000	±1.2
> 2000	±1.5
Angle	±0.5

标记	更改前	更改后	更改人	日期	审核		日期	20261029
					设计		核准	
					制图		版号	0

标题 SVM-160U 欧化立式混合机

图号 SVM-160U-ALL


比例 1:23　数量 1


材质 组合件


表面要求


物料号

信易電熱機械股份有限公司
Shini Plastics Technologies, Inc.









Hole Center Distance Tolerance±0.2	
General Machining Tolerance (Medium Grade)	
⩽ 6	±0.1
> 6	±0.2
> 30	±0.3
> 120	±0.5
> 400	±0.8
> 1000	±1.2
> 2000	±1.5
Angle	±0.5

序号	代　　号	名　　称	材　质	数量	备 注
12	YM50758400000	Gear Motor TBSA050-FA-75+TS80D4B14MVPTC		1	
11	YW66102000100	Flat Washer Grade A GB/T97.1 10		4	
10	YW65010000000	Standard Spring Washer GB/T93 10		4	
9	YW60102500100	Hexagon Head Bolt M10x25		4	
8	SVM-160U-C-07	Motor Shaft Key		1	
7	YW65012000000	Standard Spring Washer GB/T93 12		4	
6	YW61124500000	Hexagon Socket Head Cap Screw GB/T70.1 M12x45		4	
5	SVM-160U-C-12	Pillow Block Bearing Adapter Flange		1	
4	YR20528501500	Skeleton Oil Seal 52x85x8		1	
3	YW11020800000	Pillow Block Bearing UCFC208		1	
2	SVM-160U-C-06	Tank Cover Adapter Flange		1	
1	SVM-160U-C-01	Mixing Shaft Assembly		1	

标记	更改前	更改后	更改人	日期	审核		日期	20261029
					校对		核准	
					设计			
					制图		版号	0

标题 SVM-160U 搅拌组合

图号 SVM-160U-C-ALL

比例 1:20　数量 1


材质 组合件


表面要求

物料号

SHINI 信易電熱機械股份有限公司 Shini Plastics Technologies, Inc.

机器版本号	Ver.E





Technical Requirements:


1. Main Performance Parameters:
a. Maximum processing capacity: 800 kg/h (test material bulk density: 0.65 kg/L).
b. Mixing tank capacity: 387 L, effective capacity: 300 L.
c. Machine voltage specification: 3-phase, 400 VAC, 50 Hz.
d. Gear reducer power: 1.1 kW, gear ratio: 1:7.5.


2. Assembly Requirements:
a. The inner door frames of the upper cleaning door assembly (Item 4) must be bonded with 3mm thick EVA.


Hole Center Distance Tolerance±0.2	
General Machining Tolerance (Medium Grade)	
⩽ 6	±0.1
> 6	±0.2
> 30	±0.3
> 120	±0.5
> 400	±0.8
> 1000	±1.2
> 2000	±1.5
Angle	±0.5


序号	代　　号	名　　称	材　质	数量	备 注
20	YW69616100000	Thumb Screw M6x16x16		1	
19	YR20224001500	Skeleton Oil Seal 22x40x8	Nitrile Butadiene Rubber	1	
18	YW09302001500	Tapered Roller Bearing HR30203J	NSK	1	
17	YW69050400000	Open Type Oval Head Blind Rivet	M4x10	5	
16	YW62051000000	Cross Recessed Truss Head Screw	M5x10	4	
15	SVM-160U-ALL-05	Screw Washer		6	Borrowed
14	YW02003000400	Spring Snap		2	
13	YE16152600100	Adjustable Plunger Switch		1	
12	YW04901006000	90° Grease Nipple M10 (Fine Thread)		1	
11	YW60001606000	Cap Nut M16	SUS	3	
10	YW64001600100	Hexagon Nut M16	SUS	9	
9	SVM-300U-ALL-02	Screw		3	
8	SVM-300U-ALL-01	Sleeve		1	
7	SVM-160U-ALL-03	Cleaning Gate Plate		1	Borrowed
6	SVM-160U-G-ALL	Bottom Plate Weldment		1	Borrowed
5	SVM-160U-E-ALL	Electrical Control Box		1	Borrowed
4	SVM-300U-D-ALL	Upper Cleaning Door Assembly		1	
3	SVM-300U-C-ALL	Mixing Assembly		1	
2	SVM-300U-B-ALL	Tank Cover Assembly		1	
1	SVM-300U-A-ALL	Tank Body Assembly		1	

					制图		版号	0	标题 SVM-300U 欧化立式混合机	图号 SVM-300U-ALL	比例 1:23 / 数量 1
					设计		核准				材质 组合件
					校对						表面要求
标记	更改前	更改后	更改人	日期	审核		日期	20261029	SHINI 信易電熱機械股份有限公司 Shini Plastics Technologies, Inc.		物料号









Hole Center Distance Tolerance±0.2	
General Machining Tolerance (Medium Grade)	
⩽ 6	±0.1
> 6	±0.2
> 30	±0.3
> 120	±0.5
> 400	±0.8
> 1000	±1.2
> 2000	±1.5
Angle	±0.5

序号	代　　号	名　　称	材　质	数量	备 注
12	YM50758400000	Gear Motor TBSA050-FA-7.5+TS80D4B14MVPTC		1	
11	YW66102000100	Flat Washer Grade A GB/T97.1 10		4	
10	YW65010000000	Standard Spring Washer GB/T93 10		4	
9	YW60102500100	Hexagon Head Bolt M10x25		4	
8	SVM-160U-C-07	Motor Shaft Key		1	Borrowed
7	YW65012000000	Standard Spring Washer GB/T93 12		4	
6	YW61124500000	Hexagon Socket Head Cap Screw GB/T70.1 M12x45		4	
5	SVM-160U-C-12	Pillow Block Bearing Adapter Flange		1	Borrowed
4	YR20528501500	Skeleton Oil Seal 52X85X8		1	
3	YW11020800000	Pillow Block Bearing UCFC208		1	
2	SVM-160U-C-06	Tank Cover Adapter Flange		1	Borrowed
1	SVM-300U-C-01	Mixing Shaft Assembly		1	

标记	更改前	更改后	更改人	日期	审核		日期	20261029
					校对		核准	
					设计			
					制图		版号	0

标题 SVM-300U
搅拌组合

图号 SVM-300U-C-ALL

比例 1:20　数量 1


材质 组合件

表面要求

物料号

SHINI 信易電熱機械股份有限公司
Shini Plastics Technologies, Inc.

机器版本号	Ver.D



序号	代号	名称	材料	数量	备注
44	SVM-1000U-19	Discharge Opening Gate Plate		1	
43	SVM-1000U-A-11	Mesh Frame		1	
42	SVM-1000U-F-03	Air Outlet Pipe		1	option
41	BP82321900144	Filter bag 1 / Φ152*620 (SK-22/20) SS-22-1-1-N		1	option
40	SVM-1000U-F-09	Top Cover Plate		1	
39	SVM-1000U-F-08	Air Inlet Cover Plate		1	
38	SVM-1000U-F-07	Air Inlet Pipe		1	option
37	SVM-1000U-F-04	Dryer Fixing Frame		2	option
36	SVM-1000U-03	Screw 2 SVM-1000U-03 (Drawing Rev.D)		3	
35	SVM-1000U-16	Knurled Screw Sleeve		1	
34	SVM-1000U-11	Upper Cleaning Door		1	
33	YW69061000100	Wing Bolt GB/T3098 M6x10		6	
32	SVM-1000U-D-ALL	Bottom Plate Weldment SVM-1000U-D-ALL		1	
31	YW04010100000	Grease Nipple H1044 (Fine Thread) GB/T1152-85		1	
30	SVM-1000U-06	Cleaning Gate Plate		1	
29	YW30302006000	Taper Lock Bushing 3020 (Bore Dia. 60) (Weist)		1	
28	YW30450300000	Weiot Pulley SPA450-3		1	
27	YW90021200000	Pillow Block Bearing UCFC212 (NSK)		1	
26	YM10103001400	Motor YE3(IE3)-180M-2AM-T \ 40P 220/400/690		1	
25	YW30201200000	Weiot Taper Lock Bushing 2012-28		1	
24	YW30112300000	Weiot Pulley SPA118-3		1	
23	YW90122500300	V-Belt SPA-2500 (MITSUBOSHI)		3	
22	SVM-1000U-05	Guard		1	
21	BW09000630040	Sir-hole Sight Window (Screw Plated) SSWH-12-A-1-S		2	
20	YR40001200000	Acrylic Sir-Hole SSWH-12-A-12 Material: PC		2	
19	SVM-1000U-E-01	Electrical Control Box Body		1	
18	SVM-160U-E-03	Electrical Mounting Plate		1	Borrowed
17	SVM-160U-E-02	Electrical Control Box Cover		1	Borrowed
16	SVM-1000U-07	Discharge Opening Gate Plate		1	
15	YR40083500000	Five-Star Handle Type B M8*35		2	
14	SVM-1000U-18	Motor Fixing Screw		2	
13	SVM-1000U-09	Motor Mounting Base Pivot Pin SVM-1000U-09		2	
12	SVM-1000U-08	Motor Mounting Plate		1	
11	SVM-1000U-C-ALL	Mixing Assembly SVM-1000U-C-ALL		1	
10	SVM-1000U-01	Sleeve		1	
9	YW64002001100	Cap Nut M20 (SUS304)		6	
8	SVM-1000U-04	Screw Washer		12	
7	YW61200200000	Hexagon Nut GB/T6170 M20x2.5-H-T0 (SUS)		18	
6	SVM-1000U-02	Screw 1 SVM-1000U-02 (Drawing Rev.D)		3	
5	SVM-1000U-20	2" Suction Pipe SVM-1000U-20		1	
4	YR20680600000	Skeleton Oil Seal 62*85*8 (NBR)		1	
3	YW09332000000	Tapered Roller Bearing HR33306J (NSK)		1	
2	SVM-1000U-F-06	Tank Cover Weldment		1	
1	SVM-1000U-F-05	Tank Body Weldment		1	

标记	更改前	更改后	更改人	日期	制图		版号	0
					设计		核准	
					校对			
					审核		日期	20261029

标题 SVM-1000U 欧化立式混合机

图号 SVM-1000U-ALL

比例 1:35 数量 1


材质 组合件

表面要求 /

物料号 /

SHINI 信易電熱機械股份有限公司 Shini Plastics Technologies, Inc.

机器版本号	Ver E





序号	代号	名称	材料	数量	备注
43	SVM-1000U-F-09	Top Cover Plate		1	Borrowed
42	SVM-1000U-F-03	Air Outlet Pipe		1	Borrowed/Option
41	BP82321900144	Filter Bag 1 / Φ152*600 (SX-22/2M) SS-22-2-1M		1	Option
40	SVM-3000U-D-06	Air Inlet Cover Plate		1	
39	SVM-3000U-D-05	Air Inlet Pipe		1	Option
38	SVM-3000U-07	Upper Cleaning Door		1	
37	YW69061000100	Wing Bolt GB/T3098 M6x10		6	
36	SVM-2000U-D-ALL	Bottom Plate Weldment		1	Borrowed
35	YW04010100000	Grease Nipple M10x1 (Fine Thread) GB/T1152-85		1	
34	SVM-2000U-08	Cleaning Gate Plate		1	Borrowed
33	YW30302200000	Taper Lock Bushing 3020 (Bore Dia. Φ45)		1	
32	YW30450300000	Weiot Pulley SPA450-3		1	
31	YR20245800000	Wool Felt 10*1000*1000MM		1	
30	BL34200004120	Pillow Block Bearing UPC215 SUW-210UU-11		1	
29	YM50103000200	Motor YE3-90S-4-2HP-1.5KW-220/400-60HP		1	
28	YW30163800000	Taper Bore Lock Bushing 1610-38 (For SF1.5 HP Motor		1	
27	YW30112300000	Weiot Pulley SPA118-3		1	
26	YR00300004000	Weiot V-Belt SPA-3000		3	
25	SVM-3000U-03	Guard		1	
24	BW09000630040	Sir-Table Sight Window (Screw Plated) SSWB-12-1-1/8		2	
23	YR40001200000	Acrylic Sir-Table SSWB-12-1-1/2 Material: PC		2	
22	SVM-160U-E-03	Electrical Mounting Plate		1	Borrowed
21	SVM-1000U-E-01	Electrical Control Box Body		1	Borrowed
20	SVM-160U-E-02	Electrical Control Box Cover		1	Borrowed
19	SVM-1000U-07	Discharge Opening Gate Plate		1	Borrowed
18	YR40083500000	Five-Star Handle Type B M8*35		1	
17	SVM-3000U-05	Filter Screen		1	
16	SVM-1000U-16	Knurled Screw Sleeve		1	Borrowed
15	SVM-1000U-18	Motor Fixing Screw		2	Borrowed
14	SVM-1000U-09	Motor Mounting Base Pivot Pin SVM-1000U-09		2	Borrowed
13	SVM-2000U-05	Motor Base Plate		1	Borrowed
12	SVM-3000U-C-ALL	Mixing Assembly		1	
11	SVM-3000U-01	Sleeve		1	
10	SVM-3000U-02	Screw 1		3	
9	YW64002001100	Cap Nut M20 (SUS304)		6	
8	SVM-1000U-04	Screw Washer		12	Borrowed
7	YW61200200000	Hexagon Nut GB/T6170 M20x2.5-6Z-T0 (SUS)		18	
6	SVM-3000U-04	Screw 2		3	
5	SVM-1000U-20	2" Suction Pipe SVM-1000U-20		1	Borrowed
4	YR20680600000	Skeleton Oil Seal 62*35*8 (NBR)		1	
3	YW09332000000	Tapered Roller Bearing HM33306J (NSK)		1	
2	SVM-3000U-D-04	Tank Cover Weldment		1	
1	SVM-3000U-D-03	Tank Body Weldment		1	


标记	更改前	更改后	更改人	日期	制图		版号	0
					设计		核准	
					校对			
					审核		日期	20261029

标题	SVM-3000U 欧化立式混合机	图号	SVM-3000U-ALL	比例	1:45	数量	1
						材质	组合件
	信易電熱機械股份有限公司 Shini Plastics Technologies, Inc.			表面要求	/		
				物料号	/		

机器版本号	Ver E







序号	代　号	名　称	材 料	数量	备 注
43	SVM-1000U-F-09	Top Cover Plate		1	Borrowed
42	SVM-1000U-F-03	Air Outlet Pipe		1	Borrowed/Option
41	BP82321900144	Filter Bag 1 / Φ152*600 (SX-22/20) SX-22-1-PM		1	Option
40	SVM-4000U-E-06	Air Inlet Cover Plate		1	
39	SVM-4000U-E-05	Air Inlet Pipe		1	Option
38	SVM-4000U-04	Upper Cleaning Door		1	
37	YW69061000100	Wing Bolt GB/T3098 M6x10		4	
36	SVM-4000U-D-ALL	Bottom Plate Weldment SVM-4000U-D-ALL		1	
35	YW04010100000	Grease Nipple H1041 (Fine Thread) GB/T1152-85		1	
34	SVM-4000U-07	Cleaning Gate Plate		1	
33	YW30302200000	Taper Lock Bushing 3020 (Bore Dia. Φ45)		1	
32	YW30450300000	Weiot Pulley SPA450-3		1	
31	YR20245800000	Wool Felt 10*1000*1000MM		1	
30	BL34200004120	Pillow Block Bearing UPC215 SVM-2000U-11		1	
29	YM50103000200	Motor YE3-90S-4-2KW-1AM-T \ 5.5HP 220/400/460V		1	
28	YW30203800000	Bushing Taper Lock Bushing 2012-38 (Φ25.4) for 1.5HP,2HP Motor		1	
27	YW30112300000	Weiot Pulley SPA118-3		1	
26	YR00315000100	Weiot V-Belt SPA-3150		3	
25	SVM-4000U-03	Guard		1	
24	BW09000630040	Sir-hole Sight Window (Screw Plated) SSWB-12-1-PB		2	
23	YR40001200000	Acrylic Sir-Hole SSWB-12-1-12 Material: PC		2	
22	SVM-160U-E-03	Electrical Mounting Plate		1	Borrowed
21	SVM-160U-E-02	Electrical Control Box Cover		1	Borrowed
20	SVM-1000U-E-01	Electrical Control Box Body		1	Borrowed
19	SVM-1000U-07	Discharge Opening Gate Plate		1	Borrowed
18	YR40083500000	Five-Star Handle Type B M8*35		1	
17	SVM-4000U-08	Filter Screen		1	
16	SVM-1000U-16	Knurled Screw Sleeve		1	Borrowed
15	SVM-1000U-18	Motor Fixing Screw		2	Borrowed
14	SVM-2000U-09	Pulley Shaft Key SVM-2000U-09		2	Borrowed
13	SVM-4000U-05	Motor Base Plate		1	
12	SVM-4000U-C-ALL	Mixing Assembly SVM-4000U-C-ALL		1	
11	SVM-4000U-01	Sleeve		1	
10	SVM-4000U-02	Screw 1 SVM-4000U-02		3	
9	YW64002001100	Cap Nut M20 (SUS304)		6	
8	SVM-1000U-04	Screw Washer		12	Borrowed
7	YW61200200000	Hexagon Nut GB/T6170 M20x2.5-6H-T0 (SUS)		18	
6	SVM-4000U-09	Screw 2		3	
5	SVM-1000U-20	2" Suction Pipe SVM-1000U-20		1	Borrowed
4	YR20680600000	Skeleton Oil Seal 62*35*8 (NBR)		1	
3	YW09332000000	Tapered Roller Bearing HR33306J (NSK)		1	
2	SVM-4000U-E-04	Tank Cover Weldment		1	
1	SVM-4000U-E-03	Tank Body Weldment		1	

标记	更改前	更改后	更改人	日期	制图		版号	0
					设计		核准	
					校对			
					审核		日期	20261029

标题 SVM-4000U 欧化立式混合机

图号 SVM-4000U-ALL

比例 1:46　数量 1


材质 组合件


表面要求 /


物料号 /

SHINI 信易電熱機械股份有限公司 Shini Plastics Technologies, Inc.

机器版本号	Ver E









序号	代　号	名　称	材 料	数量	备 注
44	SVM-1000U-F-09	Top Cover Plate		1	Borrowed
43	SVM-1000U-F-03	Air Outlet Pipe		1	Borrowed /Option
42	BP82321900144	Filter Bag 1 / Φ130*480 (SF-21/20) SF-21-F-W		1	Option
41	SVM-6000U-F-06	Air Inlet Cover Plate		1	
40	SVM-6000U-F-05	Air Inlet Pipe		1	Option
39	SVM-6000U-06	Upper Cleaning Door		1	
38	YW61906000100	Wing Bolt GB/T3098 M6x10		4	
37	SVM-6000U-D-ALL	Bottom Plate Weldment SVM-6000U-D-ALL		1	
36	YW04010100000	Grease Nipple H1M4 (Fine Thread) GB/T11153-95		1	
35	SVM-4000U-07	Cleaning Gate Plate		1	Borrowed
34	YW30302000700	Weiot Taper Lock Bushing 3020-70		1	
33	YW30450400000	Weiot Pulley SPA450-4		1	
32	YR20245800000	Wool Felt 10*1000*1000MM		0	
31	YW11021500800	Flanged Round Seat Pillow Block Bearing UCFC215		1	
30	YM50103000300	Motor YE3-90S-4-1.5KW-2.2A-F1 \ Y.SEW 230/400/460V		1	
29	YW30203800000	Weiot Taper Lock Bushing 2012-38 (配套用 for 1.5KW-4P Motor		1	
28	YW30118400400	Weiot Pulley SPA118-4		1	
27	YR00335000000	Weiot V-Belt SPA-3350		4	
26	SVM-6000U-03	Guard		1	
25	SS-1T-07	Sight Window Clamping Plate		3	Borrowed
24	BR90100800010	Sight Window Plate SS-1T-08 (Acrylic)		3	
23	SVM-160U-E-03	Electrical Mounting Plate		1	Borrowed
22	SVM-160U-E-02	Electrical Control Box Cover		1	Borrowed
21	SVM-6000U-E-01	Electrical Control Box Body		1	
20	SVM-1000U-07	Discharge Opening Gate Plate		1	Borrowed
19	YR40083500000	Five-Star Handle Type B M8*35		1	
18	SVM-1000U-19	Discharge Opening Gate Plate		1	Borrowed
17	SVM-6000U-08	Filter Screen		1	
16	SVM-1000U-16	Knurled Screw Sleeve		1	Borrowed
15	BL55005000120	Knurled Screw SS-1T-C-M8-M3 (Dia.4) (SUS201)		2	
14	SVM-1000U-09	Motor Mounting Base Pivot Pin SVM-1000U-09		2	Borrowed
13	SVM-6000U-05	Motor Base Plate		1	
12	SVM-6000U-C-ALL	Mixing Assembly SVM-6000U-C-ALL		1	
11	SVM-6000U-01	Sleeve		1	
10	SVM-6000U-02	Screw 1 SVM-6000U-02		8	
9	YW64002001100	Cap Nut M20 (SUS304)		12	
8	SVM-1000U-04	Screw Washer		24	Borrowed
7	YW61200200000	Hexagon Nut GB/T6170 M20x2.5-8Z-T0 (SUS)		36	
6	SVM-6000U-09	Screw 2 SVM-6000U-09		4	
5	SVM-1000U-20	2" Suction Pipe SVM-1000U-20		1	Borrowed
4	YR20724000000	Skeleton Oil Seal 72*40*10 (NBR)		1	
3	YW09332000700	Tapered Roller Bearing HR33307J (NSK)		1	
2	SVM-6000U-F-04	Tank Cover Weldment		1	
1	SVM-6000U-F-03	Tank Body Weldment		1	


					制图		版号	0	标题	SVM-6000U 欧化立式混合机	图号 SVM-6000U-ALL
					设计		核准				
					校对						
标记	更改前	更改后	更改人	日期	审核		日期	20261029	SHINI 信易電熱機械股份有限公司 Shini Plastics Technologies, Inc.		

比例	1:48	数量	1
		材质	组合件
表面要求		/	
物料号		/	

机器版本号	Ver.F







序号	代号	名称	材料	数量	备注
46	SVM-1000U-F-09	Top Cover Plate		1	Borrowed
45	SVM-10000U-G-02	Protective Ladder Assembly		1	Option
44	SVM-10000U-G-01	Guardrail Assembly		1	Option
43	SVM-1000U-F-03	Air Outlet Pipe		1	Borrowed/Option
42	BP82321900144	Filter Bag 1 / Φ130*480 (SF-21/20) SF-21-F-W		1	Option
41	SVM-10000U-F-06	Air Inlet Cover Plate		1	
40	SVM-10000U-F-05	Air Inlet Pipe		1	Option
39	SVM-10000U-07	Upper Cleaning Door		1	
38	YW69061000100	Wing Bolt GB/T3098 M6x10		8	
37	SVM-10000U-D-ALL	Bottom Plate Weldment		1	
36	YW04010100000	Grease Nipple M10*1 (Fine Thread) GB/T1152-85		1	
35	SVM-10000U-08	Cleaning Gate Plate		1	
34	YW30353500800	Weiot Taper Lock Bushing 3535-80		1	
33	YW30630500100	Weiot Pulley SPA630-5		1	
32	YR20245800000	Wool Felt 10*1000*1000MM		0.05	
31	YW09021800000	Pillow Block Bearing UCFC218		1	
30	YM10100005700	Motor IE3-M6S-100ZS-4AA5-T \ 1.1KW 4P/60HZ/460V		1	
29	YW30204200200	Pulley Taper Lock Bushing 2012-42 (SF-20) for 1.1KW Motor		1	
28	YW30112500100	Weiot Pulley SPA112-5		1	
27	YR00375000000	Weiot V-Belt SPA-3750		5	
26	SVM-10000U-04	Guard		1	
25	SS-1T-07	Sight Window Clamping Plate		3	Borrowed
24	BR90100800010	Sight Window Plate SS-1T-CR (Acrylic)		3	
23	SVM-160U-E-03	Electrical Mounting Plate		1	Borrowed
22	SVM-160U-E-02	Electrical Control Box Cover		1	Borrowed
21	SVM-10000U-E-01	Electrical Control Box Body		1	
20	SVM-1000U-07	Discharge Opening Gate Plate		2	Borrowed
19	YR40083500000	Five-Star Handle Type B M8*35		1	
18	SVM-1000U-19	Discharge Opening Gate Plate		1	Borrowed
17	SVM-10000U-12	Filter Screen		1	
16	SVM-10000U-10	Knurled Screw Sleeve		1	
15	BL55005000120	Knurled Screw SS-2D-C-M8-40 (Dm.4) (SUS201)		2	
14	SVM-10000U-06	Motor Mounting Base Pivot Pin		2	
13	SVM-10000U-05	Motor Base Plate		1	
12	SVM-10000U-C-ALL	Mixing Assembly		1	
11	SVM-10000U-01	Sleeve		1	
10	SVM-10000U-02	Screw 1		8	
9	YW64002001100	Cap Nut M20 (SUS304)		12	
8	SVM-1000U-04	Screw Washer		24	Borrowed
7	YW61200200000	Hexagon Nut GB/T6170 M20x2.5-8Z-T0 (SUS)		36	
6	SVM-10000U-03	Screw 2		4	
5	SVM-1000U-20	2" Suction Pipe SVM-10000U-20		1	Borrowed
4	YR20804500000	Skeleton Oil Seal 80*45*12 (NBR)		1	
3	YW09332800000	Tapered Roller Bearing HR33308J (NSK)		1	
2	SVM-10000U-F-04	Tank Cover Weldment		1	
1	SVM-10000U-F-03	Tank Body Weldment		1	

					制图		版号	0	标题	SVM-10000U 总装图	图号 SVM-10000U-ALL
					设计		核准				
					校对						
标记	更改前	更改后	更改人	日期	审核		日期	20261029	SHINI 信易電熱機械股份有限公司 Shini Plastics Technologies, Inc.		

比例	1:65	数量	1
		材质	组合件
表面要求		/	
物料号		/	